WESTERN BIRDS, INDEX, VOLUME 37, 2006

Compiled by Philip Unitt

Accipiter cooperii, 220
  striatus, 12, 220
Actitis macularius, 4, 5, 12, 34
Aechmophorus occidentalis, 34
Aeronautes saxatalis, 29, 35, 149–155
Aethia cristatella, 139–148, 197, 199, 210
  psittacula, 95, 139, 196, 199, 202, 210
  pusilla, 139
  pygmaea, 139, 144, 239
Aimophila cassinii, 83, 84
Aix sponsa, 228, 230, 233, 234
Alauda arvensis, 98
Albatross, Black-browed, 241, 244
  Black-footed, 34, 196, 197, 199, 200, 201, 202, 204, 211, 238, 241–248
  Gray-headed, 241, 244
  Laysan, 24, 34, 196, 197, 199, 200, 201, 202, 204, 211, 238, 241, 242, 244, 245, 246, 247
  Light-mantled, 240
  Short-tailed, 34, 197, 201, 204, 238
  Shy, 86
  Wandering, 244
Ammodramus caudacutus, 240
  nelsoni, 83–84, 98, 240
Anas acuta, 34
  clypeata, 34, 196, 202, 203
  crecca, 12, 201, 202, 203, 239
  cyanoptera, 34
  diazi, 238
  discors, 34
  platyrhynchos, 34, 196, 203, 237, 238, 239
  querquedula, 85
  rubripes, 237
  wyvilliana, 237
Anhinga, 65, 70
Anhinga anhinga, 65, 70
Anous stolidus, 171
Anser albifrons, 34
Anthus cervinus, 82
  rubescens, 36, 240
  spragueii, 82, 90
Aramus guarauna, 183
Archilochus colubris, 65, 79
Ardea alba, 239
  herodias, 34, 180, 182
Arenaria interpres, 34
  melanocephala, 34
Athene cunicularia, 25, 35
Auklet, Cassin's, 35, 196, 197, 199, 201, 202, 210
  Crested, 139–148, 197, 199, 210
  Least, 139
  Parakeet, 95, 139, 196, 199, 202, 210
  Rhinoceros, 35, 196, 201, 202, 210
  Whiskered, 139, 144, 239
Avery, Julian D., and Gregory S. Keller, First record of the Eastern Screech-Owl in New Mexico, 53–54
Avocet, American, 1, 3, 4, 5, 6
Aythya affinis, 34
  collaris, 23, 24, 34
  fuligula, 96, 99, 100
  marila, 196, 202, 203

Barry, Jessie H., see Howell, S. N. G.
Bartramia longicauda, 99, 100
Blackbird, Brewer's, 36
  Yellow-headed, 23, 28, 36
Black-Hawk, Common, 65, 71, 74
Bluebird, Mountain, 35
Bombycilla cedrorum, 26, 36, 221
  garrulus, 12
Bonasa umbellus, 12
Bonier, Frances, see Martin, P. R.
Booby, Blue-footed, 238
  Brown, 70, 87, 238
  Masked, 34, 70
Brachyramphus brevirostris, 196, 197, 199, 201, 202, 208, 209, 211
  marmoratus, 196, 197, 199, 201, 202, 208, 209, 239
  perdix, 74–75, 239
Brant, 34, 201, 202, 203
Branta bernicla, 34, 201, 202, 203
  canadensis, 48–50, 200–201, 202, 238
  hutchinsii, 200–201, 202
  leucopsis, 238
  sandvicensis, 65, 91
Bubo scandiacus, 95
  virginianus, 36
Bubulcus ibis, 24, 34

INDEX

Bucephala albeola, 12, 233, 234
clangula, 196, 204
Bufflehead, 12, 233, 234
Bunting, Indigo, 100
Lazuli, 221
Painted, 85, 91
Snow, 66, 84, 99
Buteo albicaudatus, 183
albonotatus, 71, 97
jamaicensis, 12, 29, 34, 165
lagopus, 240
swainsoni, 180, 182
Buteogallus anthracinus, 65, 71, 74

Calcarius pictus, 90–91
Calidris alba, 5. 34
alpina, 4, 5
bairdii, 4
canutus, 238
ferruginea, 72
fuscicollis, 88
mauri, 1, 3, 4, 5, 6, 34
melanotos, 4, 5
minuta, 88
minutilla, 1, 3, 4, 5, 6
ptilocnemis, 239
pusilla, 4, 6
ruficollis, 88
Calonectris diomedea, 87, 238
leucomelas, 70, 73, 87
Calypte anna, 25, 35
Caracara, Crested, 65, 71, 88, 240
Guadalupe, 29, 34
Southern, 240
Caracara cheriway, 65, 71, 88, 240
lutosa, 29, 34
plancus, 240
Cardellina rubrifrons, 90
Cardinalis sinuatus, 37–44, 84–85
Carduelis flammea, 12, 85, 91
pinus, 12, 221
Carlisle, Jay D., Charles H. Trost, Sarah L. Stock, and Gregory S. Kaltenecker, Autumn landbird communities in the Boise Foothills and Owyhee Mountains of southwestern Idaho, 215–227
Carpodacus cassinii, 222
mexicanus, 29, 36
Catbird, Gray, 35
Catharus fuscescens, 77, 81
guttatus, 35, 221
minimus, 8, 12, 23, 26, 35
ustulatus, 12, 35, 220
Catoptrophorus semipalmatus, 4, 5, 6, 34
Centrocercus minimus, 240
urophasianus, 240
Cepphus columba, 199, 202, 209
Cerorhinca monocerata, 35, 196, 201, 202, 210
Certhia americana, 220, 224
Ceryle alcyon, 35
Chadwick, Lark, see Greaves, J.
Chaetura vauxi, 35
Charadrius alexandrinus, 126–138
semipalmatus, 4, 5, 6
melodus, 97
vociferus, 3, 4, 5, 6, 34
Chen caerulescens, 238
canagica, 94–95, 99, 100
rossii, 100, 238
Chickadee, Black-capped, 12, 220
Boreal, 12
Mountain, 220
Cistothorus palustris, 76
platensis, 76, 81
Clangula hyemalis, 197, 202, 203
Cogswell, Howard L., In memoriam, 123–124
Colaptes auratus, 25, 29, 35
Cole, Luke W., Kristie N. Nelson, and John C. Sterling, The 30th report of the California Bird Records Committee: 2004 records, 65–105
Colibri thalassinus, 66
Columba livia, 35
Colwell, Mark A., see Mathis, R. L.
Condor, California, 183
Contopus cooperi, 12
pertinax, 97
sordidulus, 220
Cooper, Daniel S., Shorebird use of the lower Los Angeles River channel: A novel wetland habitat, 1–7
Cormorant, Brandt's, 34
Double-crested, 36, 196, 197, 199, 202, 206
Pelagic, 34, 196, 197, 199, 201, 202, 206
Red-faced, 196, 201, 202, 206
Corvus brachyrhnchos, 55–57
corax, 12, 150, 151–152, 153, 239
Coturnicops noveboracensis, 98–99
Cowbird, Brown-headed, 23, 28, 36

INDEX

Crane, Sandhill, 183
Creeper, Brown, 220, 224
Crossbill, Red, 29, 36, 222
  White-winged, 12
Crow, American, 55–57
Curlew, Bristle-thighed, 179
  Eurasian, 164
  Far Eastern, 164
  Long-billed, 23, 25, 34, 156–168
Cyanocitta cristata, 81
  stelleri, 107, 220
Cygnus buccinator, 69, 91
Cynanthus latirostris, 66, 79
Cypseloides niger, 240

Day, Robert H., Seabirds in the northern Gulf of Alaska and adjacent waters, 190–214
Dendroica cerulea, 82, 100
  coronata, 12, 36, 221, 222
  dominica, 66, 77, 82, 99
  graciae, 78, 82, 90, 98
  magnolia, 23, 27, 36
  palmarum, 36
  petechia, 12, 23, 26, 36, 221
  pinus, 82, 100
  striata, 221, 222
  townsendi, 36, 219, 221
Diomedea exulans, 244
Dove, Mourning, 25, 35
  Oriental Turtle, 65
  White-tipped, 183
  White-winged, 35
Dowitcher, Long-billed, 1, 3, 6
  Short-billed, 3, 4, 34
Duck, American Black, 237
  Harlequin, 196, 197, 199, 203
  Hawaiian, 237
  Long-tailed, 197, 202, 203
  Mexican, 238
  Ring-necked, 23, 24, 34
  Tufted, 96, 100
  Wood, 228, 230, 233, 234
Dumetella carolinensis, 35
Dunlin, 4, 5

Eagle, Bald, 239
  White-tailed, 239
Edwards, Ann E., see Rohwer, S.
Egret, Cattle, 24, 34
  Great, 239
  Reddish, 96, 99
Egretta rufescens, 96, 99
  tricolor, 70, 87
Eider, Common, 65, 66, 69, 85, 202, 203
  King, 69
Ellis, David H., Swift-hunting behavior of the Peregrine Falcon in Arizona, 149–155
Empidonax alnorum, 8, 12, 20
  difficilis, 220
  flaviventris, 8–22, 79–80
  hammondii, 12, 20, 21, 220
  minimus, 35
  oberholseri, 220
  occidentalis, 220
  traillii, 220
Erickson, Richard A., see Quintana-B., L.
Eudocimus albus, 87, 240
Eugenes fulgens, 65, 70
Euphagus cyanocephalus, 36

Falcipennis canadensis, 12
Falco eleonorae, 149
  mexicanus, 36, 149, 154
  peregrinus, 12, 34, 149–155, 165, 166
  rufigularis, 149
  rusticolus, 88, 149
  sparverius, 24, 34
  subbuteo, 149
Falcon, Bat, 149
  Eleonora's, 149
  Peregrine, 12, 34, 149–155, 165, 166
  Prairie, 36, 149, 154
Finch, Black Rosy, 85
  Cassin's, 222
  House, 29, 36
Flicker, Northern, 25, 29, 35
Floyd, Ted, Catherine Waters, and Jay Withgott, 31st annual WFO conference, Boulder, Colorado: Retrospective, 186–187
Flycatcher, Alder, 8, 12, 20
  Ash-throated, 23, 25, 35, 89
  Dusky, 220
  Dusky-capped, 89, 100
  Great Crested, 89
  Hammond's, 12, 20, 21, 220
  Least, 35
  Olive-sided, 12
  Streaked, 76
  Sulphur-bellied, 76, 80

Western, 220
Willow, 220
Yellow-bellied, 8–22, 79–80
Fratercula cirrhata, 197, 197, 199, 201, 202, 208, 210, 211
corniculata, 196, 197, 202, 210, 211
Fregata magnificens, 34
Frigatebird, Magnificent, 34
Fulmar, Northern, 24, 34, 190, 196, 197, 199, 200, 201, 202, 204, 211
Fulmarus glacialis, 24, 34, 190, 196, 197, 199, 200, 201, 202, 204, 211

Gallinago delicata, 5, 34
Garganey, 85
Gavia adamsii, 69, 86, 100, 100, 201, 202, 204, 212
arctica, 85–86
immer, 196, 197, 204, 240
pacifica, 34, 196, 199, 201, 202, 204
stellata, 197, 202, 204
Geothlypis trichas, 25, 36
Gibson, Daniel D., see Martin, P. R.
Glaucidium gnoma, 220
Godwit, Bar-tailed, 72, 75, 88, 238
Hudsonian, 72, 75
Marbled, 6, 75
Goldeneye, Common, 196, 204
Golden-Plover, American, 71
Pacific, 34
Goose, Barnacle, 238
Cackling, 200–201, 202
Canada, 48–50, 200–201, 202, 238
Greater White-fronted, 238
Emperor, 94–95, 99, 100
Greater White-fronted, 34
Hawaiian, 65, 91
Ross's, 100, 238
Snow, 238
Grackle, Common, 85, 91
Greaves, Jim, Lark Chadwick, and Joseph Morlan, Apparent eastern Bell's Vireo in San Francisco, 119–122
Grebe, Eared, 34
Pied-billed, 34
Western, 34
Greenshank, 88
Grosbeak, Black-headed, 36, 221
Pine, 12
Rose-breasted, 36, 100
Grouse, Greater Sage, 240
Gunnison Sage, 240
Ruffed, 12
Spruce, 12
Grus canadensis, 183
Guillemot, Pigeon, 199, 202, 209
Gull, Black-headed, 72, 97, 200, 207, 212
Bonaparte's, 23, 25, 35, 196, 202, 207
California, 35
Franklin's, 23, 25, 35
Glaucous, 196, 201, 202, 207–208
Glaucous-winged, 35, 196, 197, 199, 201, 202, 207, 208, 211
Heermann's, 35
Herring, 12, 35, 89, 196, 197, 199, 201, 202, 207
Iceland, 237, 239
Laughing, 35, 46
Lesser Black-backed, 72, 88–89
Little, 72, 97
Mew, 196, 197, 199, 201, 202, 207, 239
Ring-billed, 35
Sabine's, 35, 202, 208, 212
Slaty-backed, 66, 89
Thayer's, 35, 197, 207, 237
Western, 35
Gymnogyps californianus, 183
Gyrfalcon, 88, 149

Haematopus bachmani, 72, 88
ostralegus, 165
palliatus, 66, 71–72, 88
Haliaeetus albicilla, 239
leucocephalus, 239
Hawk, Common Black, 65, 71, 74
Cooper's, 220
Harris's, 71, 91
Red-tailed, 12, 29, 34, 165
Rough-legged, 240
Sharp-shinned, 12, 220
Swainson's, 180, 182
White-tailed, 183
Zone-tailed, 71, 97
Heinl, Steven C., see Piston, A. W.
Helmitheros vermivorus, 83, 98, 99
Heron, Black-crowned Night, 238
Great Blue, 34, 180, 182
Tricolored, 70, 87
Yellow-crowned Night, 87, 96–97, 238

Heteroscelus incanus, 34
Himantopus mexicanus, 1, 3, 4, 5, 6
Hirundo rustica, 35, 61–63
Histrionicus histrionicus, 196, 197, 199, 203
Hobby, Eurasian, 149
Howell, Steve N. G., Book reviews: Hawks from Every Angle; Raptors of the World, 58–60, National Geographic Society Complete Birds of North America, 116–118, The Shorebird Guide; Shorebirds of North America, Europe, and Asia, 175–178; Birds of the World: Recommended English Names, 239–240; and Jessie H. Barry, and James E. Pike, Featured photo: Delayed preformative molt in the Barn Swallow, 61–63; Featured photo: Primary molt in the Black-footed Albatross, 241–244
Hummingbird, Anna's, 25, 35
  Blue-throated, 240
  Broad-billed, 66, 79
  Calliope, 220
  Magnificent, 65, 79
  Ruby-throated, 65, 79
  Rufous, 220

Ibis, Glossy, 70, 74, 87
  White, 87, 240
  White-faced, 70
Icterus cucullatus, 36
  parisorum, 36
  spurius, 23, 28–29, 100
Ictinia mississippiensis, 88
Ixoreus naevius, 12, 35

Jaeger, Long-tailed, 34, 202, 207, 240
  Parasitic, 34, 196, 202, 207, 240
  Pomarine, 34, 196, 201, 202, 207, 240
Jay, Blue, 81
  Gray, 12
  Steller's, 107, 220
Junco, Dark-eyed, 12, 27, 29, 36, 221
  Guadalupe, 27, 29, 36
  Oregon, 29, 36
Junco hyemalis, 12, 27, 29, 36, 221

Kaltenecker, Gregory S., see Carlisle, J. D.
Keller, Gregory S., see Avery, J. D.
Kestrel, American, 24, 34
Killdeer, 3, 4, 5, 6, 34
Kingbird, Thick-billed, 97–98
Kingfisher, Belted, 35
Kinglet, Golden-crowned, 220, 224
  Ruby-crowned, 12, 23, 29, 30, 35, 220
Kite, Mississippi, 88
Kittiwake, Black-legged, 35, 190, 196, 197, 199, 201, 202, 208, 211
  Red-legged, 65, 72
Knot, Red, 238
Kreitinger, Kim, see Pandolfino, E. R.
Kwolek, Jeremy, see Pandolfino, E. R.

Lagopus lagopus, 12
Lampornis clemenciae, 240
Lanius ludovicianus, 35
Lark, Sky, 98
Larus argentatus, 12, 35, 89, 196, 197, 199, 201, 202, 207, 208, 211
  atricilla, 35, 46
  californicus, 35
  canus, 196, 197, 199, 201, 202, 207, 239
  delawarensis, 35
  fuscus, 72, 88–89
  glaucescens, 35, 196, 197, 199, 201, 202, 207, 208, 211
  glaucoides, 237, 239
  heermanni, 35
  hyperboreus, 196, 201, 202, 207–208
  minutus, 72, 97
  occidentalis, 35
  philadelphia, 23, 25, 35, 196, 202, 207
  pipixcan, 23, 25, 35
  ridibundus, 72, 97, 200, 207, 212
  schistisagus, 66, 89
  thayeri, 35, 197, 207, 237
Laterallus jamaicensis, 239
Leeman, Linda W., see Mathis, R. L.
Leeman, Thomas S., see Mathis, R. L.
Leptotila verreauxi, 183
Leucosticte atrata, 85
Limnodromus griseus, 3, 4, 34
  scolopaceus, 1,3, 6
Limosa fedoa, 6, 75
  haemastica, 72, 75
  lapponica, 72, 75, 88, 238
Limpkin, 183
Longspur, Smith's, 90–91
Loon, Arctic, 85–86
  Common, 196, 197, 204, 240

Pacific, 34, 196, 199, 201, 202, 204
Red-throated, 197, 202, 204
Yellow-billed, 69, 86, 100, 201, 202, 204, 212
Lophodytes cucullatus, 228–236
Loxia curvirostra, 29, 36, 222
leucoptera, 12
Luther, John S., and Phil E. Gordon, In memoriam: Howard L. Cogswell, 1915–2006, 123–124

Mallard, 34, 196, 203, 237, 238, 239
Martin, Paul R., Frances Bonier, and Daniel D. Gibson, First nest of the Yellow-bellied Flycatcher for Alaska, with notes on breeding biology, 8–22
Mathis, Ryan L., Mark A. Colwell, Linda W. Leeman, and Thomas S. Leeman, Long-billed Curlew distributions in intertidal habitats: Scale-dependent patterns, 156–168
McCaskie, Guy, see Radamaker, K.
Meadowlark, Western, 28, 36
Megascops asio, 53–54
kennicottii, 53
Melanitta fusca, 196, 197, 199, 201, 203
nigra, 197, 201, 203
perspicillata, 196, 199, 203
Mellink, E., and Mónica Riojas-López, Nesting of Forster's Tern in a tropical coastal lagoon, Cuyutlán, Colima, Mexico, 45–47
Melospiza lincolnii, 12, 36, 221
Merganser, Common, 197, 204, 233
Hooded, 228–236
Red-breasted, 34
Mergus merganser, 197, 204, 233
serrator, 34
Mimus polyglottos, 26, 35
Mniotilta varia, 36
Mockingbird, Northern, 26, 35
Molothrus ater, 23, 28, 36
Morlan, Joseph, see Greaves, J.
Motacilla alba, 65, 66
Munton, Thomas E., see Steger, G. N.
Murre, Common, 190, 196, 197, 199, 201, 202, 208, 209, 211
Thick-billed, 74, 197, 199, 201, 202, 209
Murrelet, Ancient, 196, 202, 209, 210
Craveri's, 238
Kittlitz's, 196, 197, 199, 201, 202, 208, 209, 211
Long-billed, 74–75, 239
Marbled, 196, 197, 199, 201, 202, 208, 209, 239
Xantus's, 25, 35, 238
Myadestes townsendi, 12, 35, 220
Myiarchus cinerascens, 23, 25, 35, 89
crinitus, 89
tuberculifer, 89, 100
Myioborus pictus, 240
Myiodynastes luteiventris, 76, 80
maculatus, 76

Nelson, Kristie N., see Cole, L. W.
Night-Heron, Black-crowned, 238
Yellow-crowned, 87, 96–97, 238
Noddy, Brown, 171
Nucifraga columbiana, 35
Numenius americanus, 23, 25, 34, 156–168
arquata, 164
madagascariensis, 164
tahitiensis, 179
Nutcracker, Clark's, 35
Nuthatch, Red-breasted, 29, 35, 220, 224
Nyctanassa violacea, 87, 96–97
Nycticorax nycticorax, 238

Oceanodroma furcata, 190, 197, 199, 200, 201, 202, 205–206, 211
homochroa, 36
hornbyi, 66
leucorhoa, 24, 34, 202, 206
macrodactyla, 24, 34
melania, 36
tethys, 34
Oporornis agilis, 83
philadelphia, 83, 90
tolmiei, 221
Oreoscoptes montanus, 36
Oriole, Hooded, 36
Orchard, 23, 28–29, 36, 100
Scott's, 36
Osprey, 34, 183
Ovenbird, 36
Owl, Barn, 35
Barred, 97, 106–109, 237
Burrowing, 25, 35
Eastern Screech, 53–54
Great Horned, 36
Northern Pygmy, 220
Snowy, 95
Spotted, 106, 107, 108, 237

Western Screech, 53
Oystercatcher, American, 66, 71–72, 88
Black, 72, 88
Eurasian, 165

Page, Gary W., see Ruhlen, T. D.
Pandion haliaetus, 34, 183
Pandolfino, Edward R., Jeremy Kwolek, and Kim Kreitinger, Expansion of the breeding range of the Hooded Merganser within California, 228–236
Parabuteo unicinctus, 71, 91
Passer domesticus, 36
Passerella iliaca, 12, 36, 221
Passerina amoena, 221
ciris, 85, 91
cyanea, 100
Patten, Michael A., Dispersal and vagrancy in the Pyrrhuloxia, 37–44
Pelecanus erythrorhynchos, 87
occidentalis, 34
Pelican, American White, 87
Brown, 34
Perisoreus canadensis, 12
Petrel, Ashy Storm, 36
Bermuda, 240
Black Storm, 36
Cook's, 34
Dark-rumped, 70, 86
Fork-tailed Storm, 190, 197, 199, 200, 201, 202, 205–206, 211
Galapagos, 70, 86
Gray, 240
Guadalupe Storm, 24, 29, 34
Hawaiian, 70, 86
Leach's Storm, 24, 34, 202, 206
Mottled, 69, 196, 201, 204–205
Parkinson's, 65, 66, 86–87, 240
Ringed Storm, 66
Solander's, 66
Stejneger's, 86
Wedge-rumped Storm, 34
Petrochelidon pyrrhonota, 240
Pewee, Greater, 97
Western Wood, 220
Phaethon aethereus, 34
rubricauda, 34
Phainopepla, 36
Phainopepla nitens, 36
Phalacrocorax auritus, 36, 196, 197, 199, 202, 206
pelagicus, 34, 196, 197, 199, 201, 202, 206
penicillatus, 34
urile, 196, 201, 202, 206
Phalaenoptilus nuttallii, 183
Phalarope, Red, 4, 34, 196, 197, 200, 202, 206, 211
Red-necked, 4, 5, 202, 206, 212
Wilson's, 4, 6
Phalaropus fulicarius, 4, 34, 196, 197, 200, 202, 206, 211
lobatus, 4, 5, 202, 206, 212
tricolor, 4, 6
Pheucticus ludovicianus, 36, 100
melanocephalus, 36, 221
Phoebastria albatrus, 34, 197, 201, 204, 238
immutabilis, 24, 196, 197, 199, 200, 201, 202, 204, 211, 238, 241, 242, 244, 245, 246, 247
nigripes, 34, 196, 197, 199, 200, 201, 202, 204, 211, 238, 241–248
Phoebe, Say's, 25, 35
Phoebetria palpebrata, 240
Phylloscopus fuscatus, 81
Picoides pubescens, 220
Pigeon, Rock, 35
Pike, James E., see Howell, S. N. G.
Pinicola enucleator, 12
Pintail, Northern, 34
Pipilo chlorurus, 219, 221, 223
maculatus, 29, 36, 221
Pipit, American, 36, 240
Red-throated, 82
Sprague's, 82, 90
Piranga bidentata, 65, 90
ludoviciana, 221
olivacea, 66, 78, 83, 90
rubra, 36, 83
Piston, Andrew W., and Steven C. Heinl, Confirmed breeding of the Greater Yellowlegs, in southern southeast Alaska, 110–113
Platalea ajaja, 70–71
Plectrophenax nivalis, 66, 84, 99
Plegadis chihi, 70
falcinellus, 70, 74, 87
Plover, American Golden, 71
Black-bellied, 3, 4, 5, 6, 164, 240
Pacific Golden, 34
Piping, 97
Semipalmated, 4, 5, 6
Snowy, 126–138
Pluvialis dominica, 71
fulva, 34
squatarola, 3, 4, 5, 6, 164, 240
Podiceps nigricollis, 34

Podilymbus podiceps, 34
Poecile atricapillus, 12, 220
gambeli, 220
hudsonica, 12
Pooecetes gramineus, 36
Poorwill, Common, 183
Procellaria cinerea, 240
parkinsoni, 65, 66, 86–87, 240
Protonotaria citrea, 99, 100
Ptarmigan, Willow, 12
Pterodroma cahow, 240
cookii, 34
inexpectata, 69, 196, 201, 204–205
longirostris, 86
phaeopygia, 70, 86
sandwichensis, 70, 86
solandri, 66
Ptychoramphus aleuticus, 35, 196, 197, 199, 201, 202, 210
Puffin, Horned, 196, 197, 202, 210, 211
Tufted, 196, 197, 199, 201, 202, 208, 210, 211
Puffinus assimilis, 196, 205, 212
bulleri, 196, 205, 212
carneipes, 51–52
creatopus, 36, 51
gravis, 65, 70, 73, 87, 238, 240
griseus, 34, 52, 190, 196, 197, 200, 201, 202, 205, 211
lherminieri, 205
opisthomelas, 34
puffinus, 70
tenuirostris, 196, 197, 199, 200, 201, 202, 205
Pygmy-Owl, Northern, 220
Pyle, Peter, *Staffelmauser* and other adaptive strategies for wing molt in larger birds, 179–185; Book review: Handbook of Avian Hybrids of the World, 237–239
Pyrrhuloxia, 37–44, 84–85

Quintana-Barrios, Lorenzo, Gorgonio Ruiz-Campos, Philip Unitt, and Richard A. Erickson, Update on the birds of Isla Guadalupe, Baja California, 23–36
Quiscalus quiscula, 85, 91

Radamaker, Kurt, and Guy McCaskie, First verifiable record of the Flesh-footed Shearwater for Mexico, 51–52
Rail, Black, 239
Yellow, 98–99
Rauzon, Mark J., Occurrence of the Bridled and Gray-backed Terns in American Samoa, 169–174
Raven, Common, 12, 150, 151–152, 153, 239
Recurvirostra americana, 1, 3, 4, 5, 6
Redpoll, Common, 12, 86, 91
Redstart, Painted, 240
Regulus calendula, 12, 23, 29, 30, 35, 220
satrapa, 220, 224
Riparia riparia, 12, 240
Rissa brevirostris, 65, 72
tridactyla, 35, 190, 196, 197, 199, 201, 202, 208, 211
Robin, American, 12, 35, 220
Rufous-backed, 81
Rohwer, Sievert, and Ann E. Edwards, Reply to Howell on primary molt in albatrosses, 245–248
Rosenberg, Gary H., Book review: Arizona Breeding Bird Atlas, 114–116
Rosy-Finch, Black, 85
Ruhlen, Tamiko D., Gary W. Page, and Lynne E. Stenzel, Effects of a changing environment on nesting Snowy Plovers at Owens Lake, California, 126–138
Ruiz-Campos, Gorgonio, see Quintana-B., L.
Rynchops niger, 46

Sage-Grouse, Greater, 240
Gunnison, 240
Salpinctes obsoletus, 26, 35
Sanderling, 5, 34
Sandpiper, Baird's, 4
Buff-breasted, 72
Curlew, 72
Least, 1, 3, 4, 5, 6
Pectoral, 4, 5
Rock, 239
Semipalmated, 4, 6
Solitary, 4, 12
Spotted, 4, 5, 12, 34
Upland, 99, 100
Western, 1, 3, 4, 5, 6, 34
White-rumped, 88
Sapsucker, Red-naped, 220
Saxicola torquatus, 65, 81
Sayornis saya, 25, 35
Scaup, Greater, 196, 202, 203
Lesser, 34

INDEX

Scoter, Black, 197, 201, 203
Surf, 196, 199, 203
White-winged, 196, 197, 199, 201, 203
Screech-Owl, Eastern, 53–54
Western, 53
Sealy, Spencer G., A historical perspective on the citrus-like scent of the Crested Auklet, 139–148
Seiurus aurocapilla, 36
motacilla, 83
noveboracensis, 12
Selasphorus rufus, 220
Shearwater, Audubon's, 205
Black-vented, 34
Buller's, 196, 205, 212
Cory's, 87, 238
Flesh-footed, 51–52
Greater, 65, 70, 73, 87, 238, 240
Little, 196, 205, 212
Manx, 70, 87
Pink-footed, 36, 51
Short-tailed, 196, 197, 199, 200, 201, 202, 205
Sooty, 34, 51, 190, 196, 197, 200, 201, 202, 205, 211
Streaked, 70, 73, 87
Shoveler, Northern, 34, 196, 202, 203
Shrike, Loggerhead, 35
Shuford, W. David, Back issues of *Western Birds* now online!, 122
Sialia currucoides, 35
Siskin, Pine, 12, 221
Sitta canadensis, 29, 35, 220, 224
Skimmer, Black, 46
Snipe, Wilson's, 5, 34
Solitaire, Townsend's, 12, 35, 220
Somateria mollissima, 65, 66, 69, 85, 202, 203
spectabilis, 69
Sparrow, Brewer's, 221
Cassin's, 83, 84
Chipping, 27, 36, 221
Fox, 12, 36, 221
Golden-crowned, 36, 221
House, 36
Lincoln's, 12, 36, 221
Nelson's Sharp-tailed, 83, 84, 98, 240
Saltmarsh Sharp-tailed, 240
Savannah, 221
Vesper, 36, 221
White-crowned, 8, 12, 27, 221
White-throated, 36
Sphyrapicus nuchalis, 220
Spizella breweri, 221
passerina, 27, 36, 221
Spoonbill, Roseate, 70–71
Starling, European, 26, 36, 240
Steger, George N., Lori R. Werner, and Thomas E. Munton, First documented record of the Barred Owl in the southern Sierra Nevada, 106–109
Stelgidopteryx serripennis, 35
Stellula calliope, 220
Stenzel, Lynne E., see Ruhlen, T. D.
Stercorarius longicaudus, 34, 202, 207, 240
parasiticus, 34, 196, 202, 207, 240
pomarinus, 34, 196, 201, 202, 207, 240
Sterling, John C., see Cole, L. W.
Sterna albifrons, 238
aleutica, 212
anaethetus, 169–174
antillarum, 238
caspia, 46
dougallii, 46
forsteri, 45–47
fuscata, 171
hirundo, 46
lunata, 169–174
maxima, 35, 46
nilotica, 46
paradisaea, 35, 202, 208–209, 212
Stilt, Black-necked, 1, 3, 4, 5, 6
Stint, Little, 88
Red-necked, 88
Stock, Sarah L., see Carlisle, J. D.
Stonechat, 65, 81
Storm-Petrel, Ashy, 36
Black, 36
Fork-tailed, 190, 197, 199, 200, 201, 202, 205–206, 211
Guadalupe, 24, 29, 34
Leach's, 24, 34, 202, 206
Ringed, 66
Wedge-rumped, 34
Streptopelia orientalis, 65, 75, 79
Strix occidentalis, 106, 107, 108, 237
varia, 97, 106–109, 237
Sturnella neglecta, 28, 36
Sturnus vulgaris, 26, 36, 240
Sula dactylatra, 34, 70
leucogaster, 70, 87, 238
nebouxii, 238
Swallow, Bank, 12, 240

Barn, 35, 61–63
Cliff, 240
Northern Rough-winged, 35
Tree, 12, 23, 26, 35
Violet-green, 12
Swan, Trumpeter, 69, 91
Swift, Black, 240
Vaux's, 35
White-throated, 29, 35, 149–155
Synthliboramphus antiquus, 196, 202, 209–210
craveri, 238
hypoleucus, 25, 35, 238

Tachycineta bicolor, 12, 23, 26, 35
thalassina, 12
Tanager, Flame-colored, 65, 90
Scarlet, 66, 78, 83, 90
Summer, 36, 83
Western, 221
Tattler, Wandering, 34
Taylor, Daniel M., American Crows move into southern Idaho towns, 55–57
Teal, Blue-winged, 34
Cinnamon, 34
Green-winged, 12, 201, 202, 203, 239
Tern, Aleutian, 212
Arctic, 35, 202, 208, 209, 212
Bridled, 169–174
Caspian, 46
Common, 46
Forster's, 45–47
Gray-backed, 169–174
Gull-billed, 46
Least, 238
Little, 238
Roseate, 46
Royal, 35, 46
Sooty, 171
Thalassarche cauta, 86
chrysostoma, 241, 244
melanophris, 241, 244
Thrasher, Curve-billed, 81–82
Sage, 36
Thrush, Gray-cheeked, 8, 12, 23, 26, 35
Hermit, 35, 221
Swainson's, 12, 35, 220
Varied, 12, 35
Thryomanes bewickii, 29, 35
Toxostoma curvirostre, 81–82
Towhee, Green-tailed, 219, 221, 223
Spotted, 29, 36, 221
Tringa flavipes, 4, 5, 6
melanoleuca, 4, 5, 6, 110–113
nebularia, 88
solitaria, 4, 12
Troglodytes aedon, 220
troglodytes, 220
Tropicbird, Red-billed, 34
Red-tailed, 34
Trost, Charles H., see Carlisle, J. D.
Tryngites subruficollis, 72
Turdus migratorius, 12, 35, 220
rufopalliatus, 81
Turnstone, Black, 34
Ruddy, 34
Turtle-Dove, Oriental, 65, 75, 79
Tyrannus crassirostris, 97–98
Tyto alba, 35

Unitt, Philip, see Quintana-B., L.
Uria aalge, 190, 196, 197, 199, 201, 202, 208, 209, 211
lomvia, 74, 197, 199, 201, 202, 209

Veery, 77, 81
Vermivora celata, 12, 221
chrysoptera, 237
pinus, 237
ruficapilla, 219, 221
Violet-ear, Green, 66
Vireo, Bell's, 119–122
Blue-headed, 66, 89
Cassin's, 220
Philadelphia, 100
Warbling, 23, 25, 35, 100, 220
White-eyed, 66
Yellow-green, 80–81, 90, 99
Yellow-throated, 66
Vireo bellii, 119–122
cassinii, 220
flavifrons, 66
flavoviridis, 80–81, 90, 99
gilvus, 23, 25, 35, 100, 220
griseus, 66
philadelphicus, 100
solitarius, 66, 89

Wagtail, Black-backed, 65, 66
White, 65, 66
Warbler, Black-and-white, 36
Blackpoll, 221, 222
Blue-winged, 237
Cerulean, 82, 100

Connecticut, 83
Dusky, 81
Golden-winged, 237
Grace's, 78, 82, 90, 98
MacGillivray's, 221
Magnolia, 23, 27, 36
Mourning, 83, 90
Nashville, 219, 221
Orange-crowned, 12, 221
Palm, 36
Pine, 82, 100
Prothonotary, 99, 100
Red-faced, 90
Townsend's, 36, 219, 221
Wilson's, 12, 27, 36, 221
Worm-eating, 83, 98, 99
Yellow, 12, 23, 26, 36, 221
Yellow-rumped, 12, 36, 221, 222
Yellow-throated, 66, 77, 82, 99
Waters, Catherine, see Floyd, T.
Waterthrush, Louisiana, 83
Northern, 12
Waxwing, Bohemian, 12
Cedar, 26, 36, 221
Werner, Lori R., see Steger, G. N.
Willet, 4, 5, 6, 34
Wilsonia pusilla, 12, 27, 36, 221
Withgott, Jay, see Floyd, T.
Woodpecker, Downy, 220
Wood-Pewee, Western, 200
Wren, Bewick's, 29, 35
House, 220
Marsh, 76
Rock, 25, 35
Sedge, 76, 81
Winter, 220

Xanthocephalus xanthocephalus, 23, 28, 36
Xema sabini, 35, 202, 208, 212

Yellowlegs, Greater, 4, 5, 6, 110–113
Lesser, 4, 5, 6
Yellowthroat, Common, 25, 36

Zenaida asiatica, 35
macroura, 25, 35
Zonotrichia albicollis, 36
atricapilla, 36, 221
leucophrys, 8, 12, 27, 36, 221

Wilson's Warbler

Sketch by Tim Manolis